



HOUSEBUILDERS



YOUR #01 PARTNER

We provide high-quality products and solutions for housebuilders in the UK and across the globe. Our experienced, in-house engineering team can support you from the design phase, right through to a project's completion.

**START
EXPLORING**



POWERBRUSH FORKLIFT SWEEPER

Cleans, collects, suppresses dust.

- ✓ QUICK AND EASY TO USE
- ✓ DRIP FEED OR PRESSURISED WATER OPTIONS
- ✓ OPTIONAL KERB BRUSH AVAILABLE
- ✓ SAVE COST ON UNRELIABLE ROAD SWEEPER HIRE

Simple to use and inexpensive to maintain, the Powerbrush Forklift Sweeper keeps sites tidy and reduces dust pollution, creating a safer environment for site operatives and the general public.

HYDRAULIC COUPLINGS: Our team will confirm the type of hydraulic couplings to fit the machine on your site.



ITEM	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	TANK CAPACITY (litres)
Standard Drip Feed	SA800-02100	2180	2340	1260	560	250
Pressurised Water Spray	SA800-02100	2180	2340	1260	560	250
Any + Kerb Brush	SA800-02100	2300	2700	1260	585	250



FUEL ECO-HUB

Solar-powered, secure, central hub for refuelling.

- ✓ RECORDS FUEL USAGE DATA ONLINE
- ✓ PREVENTS FUEL THEFT
- ✓ IDEAL FOR REMOTE SITES

DID YOU KNOW?


You can customise your Fuel Eco-Hub to suit your on-site needs:

- 3000-litre fuel tank.
- Electronic tank level monitor.
- IBC for Ad Blue storage.
- Electric dispensing pump for Ad Blue.



CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT* (kg)	FUEL BOWSER CAPACITY (litres)
ST140-16000	2940	2570	2830	2400*	2000

*Combined weight of the container and 2000-litre Fuel Bowser (empty) but this may be subject to change depending on your configuration.



LEARN MORE!



BOOT WASH


Stand-alone boot washing station.

- ✓ SINGLE AND TRIPLE BAY OPTIONS
- ✓ CONNECT 2 UNITS TOGETHER FOR LONGER STATION

The Boot Wash is designed to clean the footwear of site personnel or visitors before they enter clean zones, such as site cabins or newly constructed buildings.



ITEM	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)
Single Bay	SS600-00001	660	520	1030	45
Triple Bay	SS600-00003	1560	520	1030	80



WHEEL WASH


Cost-effective wheel cleaning system for construction sites.

The Wheel Wash is ideal for heavy machinery and delivery or muck away vehicles, ensuring that local roads are kept clean and site roadways are clear of mud.



CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)
SS700-00044	19960	3100	1480	5550	44000

*Working Load Limit



SEE IT IN ACTION!

GAS BOTTLE STORAGE CAGE

A modular framework for securely storing gas bottles on site.

The cage is suitable for use on site or in a storage yard. It comes ready to assemble with all fixings, and can be stored as individual panels when not in use.



CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)
ST115-01458	900	900	1800	67
ST115-02812	1200	1200	1800	87
ST115-02916	1800	900	1800	98
ST115-03888	1800	1200	1800	108
ST115-05832	1800	1800	1800	135

STILLAGES

A simple framework for efficient storage of materials.



CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)	CAPACITY (litres)
ST100-00600	1000	800	810	32	1500	600
ST100-00720	1200	800	810	34	1500	720
ST100-00900	1500	800	810	36	1500	900
ST100-01125	1500	1000	810	38	1500	1125

*Working Load Limit

ROAD PLATES

Ensure safe and efficient access across uneven terrains with our durable road plates. Available in standard and anti-skid versions.



TYPE	CODE	LENGTH (mm)	WIDTH (mm)	THICKNESS* (mm/inches)	WEIGHT (kg)
Standard	SS520-01440	1200	1200	19.77/ 3/4	226
Standard	SS520-02880	2400	1200	19.77/ 3/4	452
Anti-Skid	SS520AB-02880	2400	1200	19.77/ 3/4	452

*Manufacturing tolerances mean the width and length could vary by 10mm +/- and the thickness by 2mm +/-



CRANELIFT COSHH DRUM STORE

A store for the safe storage of COSHH drums that can be crane lifted when full.

The COSHH Cranelift Drum Store is a fully enclosed, secure COSHH compliant unit for the storage and transportation of fuel drums.

CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)	CAPACITY
ST132-04117	1460	1220	2050	440	1000	4 x 205 litre drums

*Working Load Limit



SMOKING SHELTER

A smoking shelter from bad weather and to provide an outdoor, designated, safe environment for site workers.

CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)
SS901AC-07200	1510	2020	2410	380



IBC CONTAINER

IBC tank for transport and storage of bulk liquids.

The IBC Container is ideal for bulk transportation and storage of liquids such as water on site. It consists of a reusable pallet tank, with an access cap and release tap for easy filling and emptying, that can be lifted by forklift and transported when full.

CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	CAPACITY (litres)
FB300-01000	1200	1000	1160	58	1000



IBC STAND

A stand for transporting IBCs around site with a forklift or a telehandler.

- ✓ TRANSPORT IBCS AROUND SITE SAFELY
- ✓ DUAL FORK POCKETS FOR EASY ACCESS
- ✓ PROVIDES MAXIMUM STABILITY ON UNEVEN GROUND
- ✓ ROBUST DESIGN

CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)
ST207	1320	1080	360	80	1100

*Working Load Limit



AUTOLOCK TIPPING SKIP

Easily transport waste material around site.

- ✓ SELF-TIPPING
- ✓ SAFE AND FAST
- ✓ NEXT-DAY DELIVERY



CUSTOMISE IT:

- Available in 500-litre or 1200-litre sizes.
- Add lifting eyes, castors, or both.
- Colour code for waste segregation.

ITEM	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)	CAPACITY (litres)
Standard Autolock 500	FA800-00500	1400	920	934	125	1000	500
Autolock With Castors 500	FA801-00500	1400	989	1023	160	1000	500
Cranelift Autolock 500	CA128-00500	1400	920	1050	130	1000	500
Cranelift Autolock With Castors 500	CA134-00500	1400	989	1138	165	1000	500
Standard Autolock 1200	FA800-01200	1818	1224	964	150	2000	1200
Autolock With Castors 1200	FA801-01200	1818	1224	1051	185	2000	1200
Cranelift Autolock 1200	CA128-01200	1818	1224	1078	155	1000	1200
Cranelift Autolock With Castors 1200	CA134-01200	1818	1224	1160	190	1000	1200

*Working Load Limit



BOAT SKIP

Heavy-duty, crane-lift skip for general muck and waste removal.



Designed for automatic emptying by the crane operator, the Boat Skip eliminates the need for an assistant to manually operate a release mechanism.

ITEM	CODE	LENGTH (mm)	LWB (mm)	WIDTH (mm)	HEIGHT (mm)	HWB (mm)	WEIGHT (kg)	WLL* (kg)	CAPACITY (litres)
Standard	CA108-00500	1520	1690	1360	530	1410	130	1000	500
Standard	CA108-00750	1595	1780	1710	560	1450	235	1500	750
Standard	CA108-01000	1955	2135	1555	640	1720	255	2000	1000
Standard	CA108-01500	2187	2390	1885	665	1815	425	3000	1500
Standard	CA108-02000	2355	2555	1835	880	2180	540	4000	2000
Heavy-Duty	CA122-02000	1987	2555	1897	960	1750	626	4000	2000
Heavy-Duty	CA122-03000	2170	2963	2097	1092	2095	795	6000	3000
Heavy-Duty	CA122-04000	2369	3228	2282	1193	2295	1014	8000	4000
Heavy-Duty	CA122-06000	2846	3738	2224	1494	2610	1523	12000	6000

LWB = Length with bale, HWB = Height with bale

*Working Load Limit



EXCAVATOR POURING BUCKET

Transports and pours concrete and other materials.

- ✓ COMPATIBLE WITH 5-50 TONNE EXCAVATORS
- ✓ FUNNELLED DESIGN FOR ACCURATE POUR
- ✓ FILL DIRECT FROM CONCRETE TRUCK
- ✓ PERFECT FOR FOUNDATION WORK



Ideal for housebuilding sites as excavators can access areas a concrete truck is unable to. Filled straight from the truck, it can pour foundations, columns, slabs and other applications.

CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)	CAPACITY (litres)	COMPATIBILITY (tonne excavators)
EA014-00380	1520	640	1075	155	1000	380	5 - 9
EA014-00700	1775	1020	1210	450	2100	700	13 - 22
EA014-01200	2285	1320	1220	625	3600	1200	13 - 22
EA014-01300	2490	1450	1330	730	3900	1300	30 - 50

*Working Load Limit



EXCAVATOR FORKS

Transport materials and equipment around site.

- ✓ COMPATIBLE WITH 5-50 TONNE EXCAVATORS
- ✓ ENHANCED VISIBILITY
- ✓ FLOATING FORKS



The Excavator Forks are an excellent option for sites without a telehandler or where space and budget is restricted. Plus, the universal hitch accommodates a variety of pin centres.

CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)	COMPATIBILITY (tonne excavators)
EA010-01000	1930	1010	540	195	1000	5 - 9
EA010-02500	2310	1225	620	375	2500	13 - 22
EA010-04000	2740	1390	745	540	4000	30 - 50

*Working Load Limit

FORK MOUNTED HOOK

A quick and easy method of converting a forklift or telehandler into a mobile crane.



CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)	FORK POCKET (mm)
FA810-03000	840	520	226	40	3000	148 x 64
FA810-05000	840	520	226	40	5000	148 x 64

*Working Load Limit



BLOCK GRAB

Transports bricks and blocks around site.



CODE	LENGTH (mm)	WIDTH (mm)	INTERNAL HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)
CA105-00800	1560	1200	800	250	1800
CA105-01000	1560	1200	1000	270	1800

*Working Load Limit



FORK EXTENSIONS

Extensions for the fork tines of a telehandler or forklift to move long or awkward loads.



CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT PER FORK (kg)	WLL* PER FORK (kg)
FA808-01800	1800	160	72	28	1000
FA808-02400	2400	160	72	38	1000

*Working Load Limit

EXCAVATOR BUCKET BOX

Stillage for transporting buckets around site.



CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)	COMPATIBILITY (tonne excavators)
EA019-02000	2200	2380	880	960	2000	13-22

*Working Load Limit



SEE IT IN ACTION FOR AD BLY

FORKLIFT CRANE ARM

Converts a forklift into a mobile crane.



CODE	ITEM	CLOSED LENGTH (mm)	EXTENDED LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)
FA807-05000	Adjustable	2347	3847	661	666	260	5000
FA811-03000	Fixed	2350	3850	685	500	180	3000

*Working Load Limit

WHY CHOOSE CONQUIP?

NEXT-LEVEL SUPPORT

FOR YOU & YOUR PROJECT

- ✓ TAILORED SERVICE PLANS
- ✓ ALL SERVICING COMPLETED IN A SINGLE VISIT
- ✓ LOLER & POWER INSPECTIONS

PLUS:

- Workshop repairs.
- Equipment recycling.
- Spare parts.



GET IN TOUCH

Call us on 0333 300 3470
Email us at sales@cqegroup.com
www.cqegroup.com



Copyright © 2024 Conquip Engineering Group. All Rights Reserved.



SEE HOW ELSE WE CAN HELP