



RC FRAME SOLUTIONS



YOUR #01 PARTNER

We provide innovative solutions for concrete blowout and washout, reducing waste and environmental impact, and increasing safety on site. With 20 years of experience, we offer flexibility in purchase decisions, from hire to sales, and offer end-to-end after-sales support.

**START
EXPLORING**



CONCRETE WASHOUT SYSTEM

A complete solution for concrete washout, capturing and treating washout water.

- ✓ REDUCES WASTE AND ENVIRONMENTAL IMPACT
- ✓ INCREASES SAFETY ON SITE



ITEM	CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)	CAPACITY (litres)
Filtration Tray	CS236-02100	2613	1900	764	565	1000	2100
Skip Washing Platform	CS241	2960	2208	4395	590	-	-
Water Storage Tank	FB306-02000	2693	1500	2900	570	2000	2000

*Working Load Limit



CONCRETE BLOWOUT ATTACHMENT

A simple attachment fitted to column skips to allow safe concrete line blowout.



HEIGHT (mm)	LENGTH (mm)	WIDTH (mm)	WEIGHT (kg)	EXTERNAL DIAMETER (mm)
260	220	250	6	148

CONCRETE COLUMN SKIP

Designed for pouring concrete into columns or narrow formwork.

- ✓ PRECISE POURING CONTROL
- ✓ ROBUST DESIGN FOR HEAVY-DUTY USE
- ✓ CONCRETE BLOWOUT ATTACHMENT



CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	HEIGHT WITH BALE (mm)	LENGTH WITH BALE (mm)	WEIGHT (kg)	WLL* (kg)	CAPACITY (litres)
CS210-00500	1920	1370	1200	1570	2480	340	1500	500
CS210-00750	2080	1520	1340	1740	2670	400	2250	750
CS210-01000	2190	1520	1350	1760	2760	400	3000	1000
CS210-01500	2440	1780	1620	2110	3200	660	4500	1500
CS210-02000	2720	1780	1670	2150	3500	660	6000	2000

*Working Load Limit



CONCRETE COLUMN SKIP

WITHOUT BALE ARM


A versatile, all-purpose skip for pouring concrete.

- ✓ ROLL FRAME FOR SMOOTH LIFTING AND PLACEMENT
- ✓ 500-4000-LITRE SIZES AVAILABLE



CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)	CAPACITY (litres)
CS210AA-00500	1970	1130	1270	360	1500	500
CS210AA-01000	2350	1385	1465	490	3000	1000
CS210AA-01500	2450	1590	1660	580	4500	1500
CS210AA-02000	2730	1590	1670	670	6000	2000
CS210AA-03000	3500	1980	2130	1000	9000	3000
CS210AA-04000	3830	2150	2350	1480	12000	4000

*Working Load Limit



FIXED FLUSH CANTIDECK

A cantilevered loading platform for efficient material handling.

- ✓ SMOOTH LOADING AND UNLOADING
- ✓ EASY INSTALLATION AND REMOVAL



SUPER ROLLER CANTIDECK

Rolling loading deck for smooth and efficient loading and unloading.

- ✓ ENHANCED SAFETY FEATURES
- ✓ VERSATILE FOR VARIOUS LOADING NEEDS



CODE	TOTAL LENGTH (mm)	OUTBOARD LENGTH (mm)	EXTERNAL WIDTH (mm)	INTERNAL WIDTH (mm)	WEIGHT (kg)	WLL* (kg)
FF20	8000	4000	2000	1550	1850	5000
FF24	8000	4000	2400	1950	2000	5000
FF27	8000	4000	2700	2250	2000	5000
FF35	8000	4000	3500	3050	2600	5000
FF45	8000	4000	4500	4050	2800	5000

*Working Load Limit

CODE	EXTERNAL WIDTH (mm)	INTERNAL WIDTH (mm)	OUTBOARD LENGTH (mm)	INBOARD LENGTH (mm)	TOTAL LENGTH (mm)	WEIGHT (kg)	WLL* (kg)
SR22	2200	1690	3800	5800	9600	2650	5000
SR29	2900	2390	3800	5800	9600	3000	5000
SR35	3500	2990	3800	5800	9600	3400	5000

*Working Load Limit



GOODS CAGE

Safe and convenient method for lifting and transporting bulk bags and other materials without lifting points.

- ✓ DIFFERENT SIZES TO SUIT YOUR NEEDS
- ✓ RAMPED ACCESS OPTION FOR EASY ACCESS WITH A PALLET TRUCK



TYPE	CODE	HEIGHT (mm)	LENGTH (mm)	WIDTH (mm)	WEIGHT (kg)	WLL* (kg)
Small Gate Access	CA118-01638	1280	1280	1280	270	3000
Small Ramp Access	CA124-01658	1300	1360	1300	300	3000
Large Gate Access	CA118-03277	1280	2560	1280	450	3000
Large Ramp Access (Short Side)	CA124AK-03277	1300	2645	1300	460	3000
Large Ramp Access (Long Side)	CA124AL-03277	1300	2560	1300	500	3000

*Working Load Limit

XXL LIFTING CAGE

Large capacity lifting cage for transporting materials or equipment in a single lift.

- ✓ REDUCES CRANE TIME
- ✓ LARGE WORKING LOAD LIMIT



CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)
CA124AL-10824	4140	2335	1310	1110	5000

*Working Load Limit

BOAT SKIP

Heavy-duty, crane-lift skip for general muck and waste removal.



Designed for automatic emptying by the crane operator, the Boat Skip eliminates the need for an assistant to manually operate a release mechanism.

ITEM	CODE	LENGTH (mm)	LWB (mm)	WIDTH (mm)	HEIGHT (mm)	HWB (mm)	WEIGHT (kg)	WLL* (kg)	CAPACITY (litres)
Standard	CA108-00500	1520	1690	1360	530	1410	130	1000	500
Standard	CA108-00750	1595	1780	1710	560	1450	235	1500	750
Standard	CA108-01000	1955	2135	1555	640	1720	255	2000	1000
Standard	CA108-01500	2187	2390	1885	665	1815	425	3000	1500
Standard	CA108-02000	2355	2555	1835	880	2180	540	4000	2000
Heavy-Duty	CA122-02000	1987	2555	1897	960	1750	626	4000	2000
Heavy-Duty	CA122-03000	2170	2963	2097	1092	2095	795	6000	3000
Heavy-Duty	CA122-04000	2369	3228	2282	1193	2295	1014	8000	4000
Heavy-Duty	CA122-06000	2846	3738	2224	1494	2610	1523	12000	6000

LWB = Length with bale, HWB = Height with bale

*Working Load Limit



GAS BOTTLE LIFTING CAGE

Secure frame for transporting and lifting gas bottles directly to the 'hot works' location.

- ✓ TESTED, APPROVED, AND FULLY CERTIFIED
- ✓ COMPLETE WITH SECURING CHAINS FOR A SAFE LIFT



CODE	GAS TYPE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)
CA107-01010	Oxygen	515	600	1900	95	120
CA107-01100	Propane	515	600	1900	95	120
CA107-04020	2 x Oxygen & Propane	850	1120	2000	130	600
CA107-06010	6 x Oxygen	850	1120	2000	130	600

*Working Load Limit

COSHH STORE

Safe storage for hazardous materials on site.

- ✓ SECURE AND WEATHERPROOF
- ✓ COMPLIANT WITH REGULATIONS



CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	CAPACITY (litres)	SHELF WLL* (kg)	BUND WLL* (kg)
ST125-16000	3000	2400	2630	1870	1100	700	1000

*Working Load Limit

FORMWORK RACK

The Formwork Rack, or 'concrete shuttering storage rack' has been specifically designed for storage of formwork and concrete shuttering panels, but can be used to store other bulky goods.

- ✓ MANUFACTURED IN THE UK
- ✓ QUICK DELIVERY



CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	STORAGE BAY WIDTH (mm)	WEIGHT (kg)	LIFTING POINTS
ST127AA-05400	5400	2420	2570	1570	1590	4
ST127AB-05400	5400	2420	2570	1570	1000	4

CRANELIFT COSHH DRUM STORE

Crane-liftable storage for hazardous materials.

- ✓ DESIGNED FOR EASY LIFTING
- ✓ SAFE AND SECURE STORAGE



CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (kg)	WLL* (kg)	CAPACITY** (litres)
ST132-04117	1460	1220	2050	440	1000	4

*Working Load Limit
**Drums with 205-litre capacity

NEXT-LEVEL SUPPORT

FOR YOU & YOUR PROJECT

- ✓ 20 YEARS' EQUIPMENT SUPPLY EXPERIENCE
- ✓ CONCRETE WASHOUT AND BLOWOUT INNOVATIONS
- ✓ UK MANUFACTURING AND FULL REFURBISHMENT
- ✓ RELIABLE DELIVERIES ON FORS GOLD VEHICLES



GET IN TOUCH

Call us on 0333 300 3470

Email us at sales@cqegroup.com

www.cqegroup.com



Copyright © 2023 Conquip Engineering Group. All Rights Reserved.



SEE HOW ELSE WE CAN HELP